



B **TALI**®

ALL
PRODUCTS

2024



COMPANY PROFILE

WELCOME TO BTALI

BTALI INTERNATIONAL is an Indian based company Established In The Year 2001 .It is an ISO 9001:2015 Certified Company And Also Crisel Verified.

We Are Importing All Kinds Of Machinery & Pumps Mainly Air Compressors, High Pressure Washer, Submersible Pump, Pump Control Etc.

We have a team of Highly Qualified Employees & Skilled Engineers Which Work together to build a long relationship with Our Customers by offering them wide range of quality products.

Today We Are Privileged To Connect With More Than 200 Dealers Around India Through Our Best Products.



HIGH PRESSURE WASHER MACHINERIES

➤ BT 900 HPW	01-02
➤ BT 1000 HPW	03-04
➤ BT 1000-C HPW CLASSIC SERIES	05-06
➤ BT 1000-O HPW DELUXE SERIES	07-08
➤ BT 1000-02 HPW DYNAMIC SERIES	09-10
➤ BT 1000-E HPW ELEGANCE SERIES	11-12
➤ BT 1000-P HPW PROFESSIONAL SERIES	13-14
➤ BT 1000-S HPW SMART SERIES	15-16
➤ BT 1000 HPW ECO SERIES	17-18
➤ BT 1000 HPW ULTRA SERIES	19-20
➤ BT 1030 HPW	21-22
➤ BT 1050 HPW	23-24
➤ BT 1060 HPW	25-26
➤ BT 1090 HPW	27-28
➤ BT 1100 HPW	29-30
➤ BT 1150 HPW	31-32
➤ BT 1200 HPW	33-34
➤ BT 1300 HPW	35-36
➤ BT 1400 HPW	37-38
➤ BT 1800 HPW	39-40
➤ BT 1900 HPW PRO LINE	41-42
➤ BT 2100 HPW PRO LINE	43-44
➤ BT 2200 HPW	45-46
➤ BT 2300 HPW	47-48
➤ BT 2400 HPW PRO LINE	49-50
➤ BT 2500 HPW	51-52

HIGH PRESSURE WASHER PROFESSIONAL SERIES

➤ BT 1600 HPW	53-54
➤ BT 1800 HPW PRO SERIES	55-56
➤ BT 2200 HPW PRO SERIES	57-58
➤ BT 5000 HPW PROLINE SERIES	59-60
➤ BT 7500 HPW PRO SERIES	61-62

HIGH PRESSURE WASHER ACCESSORIES

➤ HPW ACCESSORIES -BRASS ADAPTOR MODEL 302	63
➤ HPW ACCESSORIES -5PCS SPRAY NOZZLE SET MODEL 345 [RED]	64
➤ HPW ACCESSORIES -5PCS SPRAY NOZZLE SET MODEL 345 (YELLOW)	65
➤ HPW ACCESSORIES -5PCS SPRAY NOZZLE SET MODEL 345 [GREEN]	66
➤ HPW ACCESSORIES -5PCS SPRAY NOZZLE SET MODEL 345 [WHITE]	67
➤ HPW ACCESSORIES-5PCS SPRAY NOZZLE SET MODEL 345 [BLACK]	68

➤ HPW ACCESSORIES-ANGULAR ATTACHMENT	69
➤ HPW ACCESSORIES-BT 2200HPW COUPLING MODEL-438	70
➤ HPW ACCESSORIES-BT 1000HPW PIPE CONNECTOR	71
➤ HPW ACCESSORIES-BT 1000HPW NOZZLE CONNECTOR	72
➤ HPW ACCESSORIES-QUICK CONNECTOR ADAPTOR & NIPPLE	73
➤ HPW ACCESSORIES-SWIWEL SMALL PART-1&2	74
➤ HPW ACCESSORIES-FOAM GUN FILTER	75
➤ HPW ACCESSORIES-EXTENSION ROD 380MM	76
➤ HPW ACCESSORIES -BT1800/2200/2300/2500 HPW- HOSE PIPE NOZZLE CONNECTOR	77
➤ HPW ACCESSORIES -BT1800/2200/2300/2500HPW- COMMON GUN NOZZLE CONNECTOR	78
➤ HPW ACCESSORIES-UNIVERSAL ADAPTOR 503	79
➤ HPW ACCESSORIES-SPLITTER PLUG 3/8 INCH	80
➤ HPW ACCESSORIES-TWIN LANCE SPRAYER BT HPW A TLS-20	81
➤ HPW ACCESSORIES-UNDERBODY BRUSH BT HPW A-UB-001-16	82
➤ HPW ACCESSORIES - SURFACE CLEANER BT HPW A-SF-18	83
➤ HPW ACCESSORIES - ROTATORY NOZZLE BT HPW A-RN-040-08/050-09/070-10	84
➤ HPW ACCESSORIES-HOSE PIPE 6/8/10/15/20 MTR	85
➤ HPW ACCESSORIES - BT 1000 HPW 8 MTR NYLON HOSE	86
➤ HPW ACCESSORIES-BT 1800HPW 10 MTRS HOSE	87
➤ HPW ACCESSORIES-BT 2200HPW 10/20 MTRS R2 HOSE	88
➤ HPW ACCESSORIES - FOAM GUN BT HPWA-FG-309-14	89
➤ HPW ACCESSORIES-FOAM GUN BT HPWA-FG-310-15	90
➤ HPW ACCESSORIES - PLASTIC GUN BT HPW-A-PG-208-21	91
➤ HPW ACCESSORIES-PLASTIC GUN BT HPW A-1000-28	92
➤ HPW ACCESSORIES - ANGULAR PLASTIC GUN BT HPW A-APG-19	93
➤ HPW ACCESSORIES-LONG GUN BT HPW A-LG-05	94
➤ HPW ACCESSORIES - PLASTIC GUN BT 1000/1200 HPW-17	95
➤ HPW ACCESSORIES-PLASTIC GUN BT HPW A-1800-11	96
➤ HPW ACCESSORIES-PLASTIC GUN BT HPW A-1000/1200-02	97
➤ HPW ACCESSORIES - SWIWEL SHORT GUN BT HPW-A-SSG-291-1-24	98
➤ HPW ACCESSORIES-SWIWEL SHORT GUN BT HPW-A-SSG-295-18	99
➤ HPW ACCESSORIES - SWIWEL LONG GUN BT HPW-A-SLG-880-23	100
➤ HPW ACCESSORIES-SHORT GUN BT HPW A-SG-293-12	101
➤ HPW ACCESSORIES - SHORT GUN BT HPWA-SG-258-13	102
➤ HPW ACCESSORIES - SWIWEL SHORT GUN BT HPW-A-SSG-266-22	103
POWER PRODUCT	
➤ AGRICULTURAL POWER SPRAYER	104-106
➤ FOAM TANK	107
➤ WET & DRY VACUUM CLEANER	108-111
➤ SPARE PARTS	112

AIR COMPRESSOR	
➤ MONO BLOCK AIR COMPRESSOR	113-117
➤ BT 24 MAC	113
➤ BT 50 MAC	114
➤ BT 50T MAC	115
➤ BT 24 ESMAC	116
➤ BT 50 ESMAC	117
➤ OIL FREE AIR COMPRESSOR	118-127
➤ BT 9 OFAC	118
➤ BT 25 OFAC	119
➤ BT 50 OFAC	120
➤ BT 50T OFAC	121
➤ BT 60 OFAC	122
➤ BT 550 OFACB	123
➤ BT 750 OFACB	124
➤ BT 1300 OFACB	125
➤ BT 30 RTOFAC	126
➤ BT 40 RTOFAC	127
➤ HIGH SPEED AIR COMPRESSOR	128-141
➤ BT 9 OFACHS 1100	128
➤ BT 15 OFACHS 1400	129
➤ BT 25 OFACHS 1100	130
➤ BT 25 OFACHS 1400	131
➤ BT 50 OFACHS 1100	132
➤ BT 50 OFACHS 1400	133
➤ BT 50T OFACHS 1100	134
➤ BT 50T OFACHS 1400	135
➤ BT 60 OFACHS 1100	136
➤ BT 60 OFACHS 1400	137
➤ BT 100 OFACHS 1400	138
➤ BT 180 OFACHS 1400	139
➤ BT 1100 OFACHSB	140
➤ BT 1400 OFACHSB	141
➤ AIR FILLING TIME OF AIR COMPRESSOR	142
➤ BELT DRIVEN AIR COMPRESSOR	143-144
➤ AIR COMPRESSOR (MADE IN INDIA RAJKOT)	145-148
➤ AIR COMPRESSOR (MADE IN INDIA COIMBATORE)	149-152
➤ SPARE PARTS OF AIR COMPRESSOR	153
PUMP & ACCESSORIES	
➤ AUTOMATIC PUMP CONTROLLER	154-155
➤ WATER PUMP	156-161
• SELF PRIMING AUTOMATIC PUMPS	
• AUTOMATIC BOOSTER PUMPS	
➤ PRESSURE TANKS	162-165
➤ SUBMERSIBLE PUMPS	166-185
• SIDE DISCHARGE	
• CENTRE DELIVERY	
➤ ACCESSORIES	186
➤ SPARE PARTS	187



BTALI®



AIR COMPRESSOR



BTALI®

AIR COMPRESSOR BT 24 MAC



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 2HP / 1.5 KW
TANK CAPACITY : 24 L
PRESSURE : 8 BAR / 115 PSI
FLOW : 198 L/MIN
SPEED : 2850 RPM

FEATURES

OIL TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY




2hp POWER	AIR COMPRESSOR PRO LINE	24L
--------------	----------------------------	-----

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 50 MAC



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 3HP / 2.2 KW
TANK CAPACITY : 50 L
PRESSURE : 8 BAR / 115 PSI
FLOW : 250L/MIN
SPEED : 2850 RPM

FEATURES

OIL TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



3hp POWER	AIR COMPRESSOR PRO LINE	50L
--------------	----------------------------	-----


ISO 9001:2015

CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 50 T MAC



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 5HP / 3.7 KW
TANK CAPACITY : 50 L
PRESSURE : 8 BAR / 115 PSI
FLOW : 420 L/MIN
SPEED : 2850 RPM

FEATURES

OIL TYPE
EASY STORAGE
LOW NOISE
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



5hp POWER AIR COMPRESSOR PRO LINE 50L

ISO 9001:2015

CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 24 ESMAC



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 2HP / 1.5 KW
TANK CAPACITY : 24 L
PRESSURE : 8 BAR / 115 PSI
FLOW : 155 L/MIN
SPEED : 2850 RPM

FEATURES

OIL TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



2hp POWER	AIR COMPRESSOR PRO LINE	24L
--------------	----------------------------	-----

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 50 ESMAC



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 3HP / 2.2 KW
TANK CAPACITY : 50 L
PRESSURE : 8 BAR / 115 PSI
FLOW : 222 L/MIN
SPEED : 2850 RPM

FEATURES

OIL TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY




3hp POWER AIR COMPRESSOR PRO LINE 50L

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 9 OFAC



VOLTAGE / FREQUENCY 220V/50HZ

Specifications

POWER : 1HP / 0.75 KW
TANK CAPACITY : 9 L
PRESSURE : 8 BAR / 115 PSI
FLOW : 106 L/MIN
SPEED : 1400 RPM

FEATURES

OIL FREE TYPE
EASY STORAGE
LOW NOISE
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



1hp POWER	AIR COMPRESSOR PRO LINE	9L
--------------	----------------------------	----

ISO 9001:2015
CERTIFIED COMPANY



B TALI®

AIR COMPRESSOR BT 25 OFAC



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 1HP / 0.75 KW
TANK CAPACITY : 25 L
PRESSURE : 8 BAR / 115 PSI
FLOW : 106 L/MIN
SPEED : 1400 RPM

FEATURES

OIL FREE TYPE
EASY STORAGE
LOW NOISE
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



1hp POWER	AIR COMPRESSOR PRO LINE	25L
--------------	----------------------------	-----

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 50 OFAC



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 1HP / 0.75 KW
TANK CAPACITY : 50 L
PRESSURE : 8 BAR / 115 PSI
FLOW : 106 L/MIN
SPEED : 1400 RPM

FEATURES

OIL FREE TYPE
EASY STORAGE
LOW NOISE
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



1hp POWER	AIR COMPRESSOR PRO LINE	50L
--------------	----------------------------	-----

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 50 T OFAC



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 2HP / 1.5 KW
TANK CAPACITY : 50 L
PRESSURE : 8 BAR / 115 PSI
FLOW : 212 L/MIN
SPEED : 1400 RPM

FEATURES

OIL FREE TYPE
EASY STORAGE
LOW NOISE
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



2hp POWER AIR COMPRESSOR PRO LINE 50L

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 60 OFAC



VOLTAGE / FREQUENCY 220V/50HZ

Specifications

POWER : 3HP / 2.2 KW
TANK CAPACITY : 60 L
PRESSURE : 8 BAR / 115 PSI
FLOW : 318 L/MIN
SPEED : 1450 RPM

FEATURES

OIL FREE TYPE
EASY STORAGE
LOW NOISE
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



3hp POWER AIR COMPRESSOR PRO LINE **60L**

ISO 9001:2015
CERTIFIED COMPANY



B TALI[®]

AIR COMPRESSOR

BT 550 OFACB

VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 1HP / 0.75 KW
PRESSURE : 8 BAR / 115 PSI
FLOW : 106 L/MIN
SPEED : 1400 RPM

FEATURES


OIL FREE TYPE
EASY STORAGE
LOW NOISE
COMPACT DESIGN
EASY MOVABLE



EASY
TRANSPORT



GUARANTEED
QUALITY



1hp
POWER

AIR PUMP
PRO LINE

ISO 9001:2015
CERTIFIED COMPANY



B TALI[®]

AIR COMPRESSOR BT 750 OFACB

VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 1.5 HP / 1.1 KW
PRESSURE : 8 BAR / 115 PSI
FLOW : 120 L/MIN
SPEED : 1400 RPM

FEATURES


OIL FREE TYPE
EASY STORAGE
LOW NOISE
COMPACT DESIGN
EASY MOVABLE



EASY
TRANSPORT



GUARANTEED
QUALITY



1.5hp
POWER

AIR PUMP
PRO LINE

ISO 9001:2015
CERTIFIED COMPANY



B TALI[®]

AIR COMPRESSOR BT 1300 OFACB

VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 2 HP / 1.5 KW
PRESSURE : 8 BAR / 115 PSI
FLOW : 391 L/MIN
SPEED : 1440 RPM

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



2hp
POWER

**AIR PUMP
PRO LINE**

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 30 RTOFAC



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 1 HP/0.75 KW
TANK CAPACITY : 30 L
PRESSURE : 8 BAR/115 PSI
FLOW : 106 L/MIN
SPEED : 1440RPM

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



1hp
POWER

AIR COMPRESSOR
PRO LINE

30L

ISO 9001:2015

CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 40 RTOFAC



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 1.5 HP/1.1 KW
TANK CAPACITY : 40 L
PRESSURE : 8 BAR/115 PSI
FLOW : 106 L/MIN
SPEED : 1440RPM

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY




1.5hp POWER AIR COMPRESSOR PRO LINE 40L

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 9 OFACHS 1100



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 1.5HP / 1.1KW
TANK CAPACITY : 9L
PRESSURE : 8BAR/115 PSI
FLOW : 167 L/MIN
SPEED : 2850 RPM
NOISE LEVEL : 74DBA
AIR FILLING TIME : 45 SEC

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY




1.5hp POWER AIR COMPRESSOR HIGH SPEED 9L

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 15 OFACHS 1400



VOLTAGE / FREQUENCY


220V/50HZ

Specifications

POWER : 2.0HP / 1.5KW
TANK CAPACITY: 15L
PRESSURE : 8BAR/115 PSI
FLOW : 254 L/MIN
SPEED: 2850 RPM
NOISE LEVEL : 79DBA
AIR FILLING TIME : 25 SEC

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



2.0hp AIR COMPRESSOR 15L
POWER HIGH SPEED

ISO 9001:2015
CERTIFIED COMPANY



B TALI[®]

AIR COMPRESSOR BT 25 OFACHS 1100



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 1.5HP /1.1KW
TANK CAPACITY : 25L
PRESSURE : 8BAR/115PSI
FLOW : 167L/MIN
SPEED : 2850 RPM
NOISE LEVEL : 74 DBA
AIR FILLING TIME : 110 SEC

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



1.5hp AIR COMPRESSOR 25L
POWER HIGH SPEED

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 25 OFACHS 1400



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

- POWER : 2.0HP /1.5KW
- TANK CAPACITY : 25L
- PRESSURE : 8BAR/115PSI
- FLOW : 254L/MIN
- SPEED : 2850 RPM
- NOISE LEVEL : 79 DBA
- AIR FILLING TIME : 70 SEC

FEATURES

- OIL FREE TYPE
- EASY STORAGE
- HIGH SPEED
- COMPACT DESIGN
- EASY MOVEABLE
- AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



2.0hp POWER	AIR COMPRESSOR HIGH SPEED	25L
----------------	------------------------------	-----

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 50 OFACHS 1100



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 1.5HP /1.1KW
TANK CAPACITY : 50L
PRESSURE : 8BAR/115PSI
FLOW : 167L/MIN
SPEED : 2850 RPM
NOISE LEVEL : 74 DBA
AIR FILLING TIME : 220 SEC

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



1.5hp POWER AIR COMPRESSOR HIGH SPEED 50L

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 50 OFACHS 1400



VOLTAGE / FREQUENCY


220V/50HZ

Specifications

- POWER : 2.0HP /1.5KW
- TANK CAPACITY : 50L
- PRESSURE : 8BAR/115PSI
- FLOW : 254L/MIN
- SPEED : 2850 RPM
- AIR FILLING TIME : 140 SEC
- NOISE LEVEL : 79 DBA

FEATURES

- OIL FREE TYPE
- EASY STORAGE
- HIGH SPEED
- COMPACT DESIGN
- EASY MOVEABLE
- AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY




2.0hp POWER	AIR COMPRESSOR HIGH SPEED	50L
----------------	------------------------------	-----

ISO 9001:2015
CERTIFIED COMPANY



BTALI[®]

AIR COMPRESSOR BT 50T OFACHS 1100



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 3HP /2.2KW
TANK CAPACITY : 50L
PRESSURE : 8BAR/115PSI
FLOW : 334L/MIN
SPEED : 2850 RPM
NOISE LEVEL : 77 DBA

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY




3.0hp POWER	AIR COMPRESSOR HIGH SPEED	50L
----------------	------------------------------	-----

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 50T OFACHS 1400



VOLTAGE / FREQUENCY


220V/50HZ

Specifications

POWER : 4.0HP /3KW
TANK CAPACITY : 50L
PRESSURE : 8BAR/115PSI
FLOW : 508L/MIN
SPEED : 2850 RPM
NOISE LEVEL : 82 DBA

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



4.0hp POWER	AIR COMPRESSOR HIGH SPEED	50L
----------------	------------------------------	-----

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 60 OFACHS 1100



VOLTAGE / FREQUENCY


220V/50HZ

Specifications

POWER : 4.5HP /3.3KW
TANK CAPACITY : 60L
PRESSURE : 8BAR/115PSI
FLOW : 501L/MIN
SPEED : 2850 RPM
NOISE LEVEL : 77 DBA

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



4.5hp POWER AIR COMPRESSOR HIGH SPEED 60L

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 60 OFACHS 1400



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 6HP /4.5KW
TANK CAPACITY : 60L
PRESSURE : 8BAR/115PSI
SPEED : 2850 RPM
FLOW : 762L/MIN
NOISE LEVEL : 82 DBA

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY




6hp POWER AIR COMPRESSOR HIGH SPEED 60L

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 100 OFACHS 1400



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 6HP /4.2KW
TANK CAPACITY : 100L
PRESSURE : 8BAR/115PSI
FLOW : 762L/MIN
SPEED : 2850 RPM
NOISE LEVEL : 85 DBA

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



6hp POWER AIR COMPRESSOR HIGH SPEED 100L TOOL

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

AIR COMPRESSOR BT 180 OFACHS 1400



VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER : 8HP / 5.6KW
TANK CAPACITY : 180L
PRESSURE : 8 BAR / 115 PSI
FLOW : 1016 L/MIN
SPEED : 2850 RPM
NOISE LEVEL : 85 DBA

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



8hp POWER AIR COMPRESSOR HIGH SPEED 180L

ISO 9001:2015
CERTIFIED COMPANY



B TALI[®]

AIR COMPRESSOR BT 1100 OFACHSB

VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER: 1.5 HP / 1.1 KW
PRESSURE: 8 BAR / 115 PSI
FLOW: 167 L/MIN
SPEED : 2850 RPM

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



1.5hp
POWER

AIR PUMP
PRO LINE

ISO 9001:2015
CERTIFIED COMPANY



B TALI[®]

AIR COMPRESSOR

BT 1400 OFACHSB

VOLTAGE / FREQUENCY

220V/50HZ

Specifications

POWER: 2.0 HP / 1.5 KW
PRESSURE: 8 BAR / 115 PSI
FLOW : 254 L/MIN
SPEED : 2850 RPM

FEATURES

OIL FREE TYPE
EASY STORAGE
HIGH SPEED
COMPACT DESIGN
EASY MOVEABLE
AUTO STOP FUNCTION



EASY
TRANSPORT



GUARANTEED
QUALITY



2hp
POWER

AIR PUMP
PRO LINE

ISO 9001:2015
CERTIFIED COMPANY

AIR COMPRESSOR OIL FREE 9 LTR

SR. NO.	MODEL No.	TANK CAPACITY	AIR FILING TIME
1	BT 9 OFAC	9 LTR	1 MIN 30 SEC
2	BT 9 OFACHS 1100	9 LTR	34 SEC

AIR COMPRESSOR OIL FREE 15 LTR

SR. NO.	MODEL No.	TANK CAPACITY	AIR FILING TIME
1	BT 15 OFACHS 1400	15 LTR	27 SEC

AIR COMPRESSOR OIL FREE 25 LTR & 24 MAC

SR. NO.	MODEL No.	TANK CAPACITY	AIR FILING TIME
1	BT 25 OFAC	25 LTR	3 MIN 32 SEC
2	BT 25 OFACHS 1100	25 LTR	1 MIN 51 SEC
3	BT 25 OFACHS 1400	25 LTR	1 MIN 26 SEC
4	BT24 MAC	24 LTR	2 MIN 18 SEC
5	BT 24 ESMAC	24 LTR	2 MIN 29 SEC

AIR COMPRESSOR OIL FREE 30 LTR

SR. No.	MODEL No.	TANK CAPACITY	AIR FILING TIME
1	BT 30 RTOFAC	30 LTR	1 MIN 20 SEC

AIR COMPRESSOR OIL FREE 40 LTR

SR. No.	MODEL No.	TANK CAPACITY	AIR FILING TIME
1	BT 40 RTOFAC	40 LTR	1 MIN 20 SEC

AIR COMPRESSOR OIL FREE & MAC 50 LTR

SR. No.	MODEL No.	TANK CAPACITY	AIR FILING TIME
1	BT 50 OFAC	50 LTR	7 MIN 25 SEC
2	BT 50 T OFAC	50 LTR	3 MIN 39 SEC
3	BT 50 OFACHS 1100	50 LTR	3 MIN
4	BT 50 T OFACHS 1100	50 LTR	1 MIN 55 SEC
5	BT 50 OFACHS 1400	50 LTR	3 MIN 15 SEC
6	BT 50 T OFACHS 1400	50 LTR	1 MIN 17 SEC
7	BT 50 MAC	50 LTR	3 MIN 33 SEC
8	BT 50 T MAC	50 LTR	1 MIN 30 SEC
9	BT 50 ESMAC	50 LTR	4 MIN 31 SEC

AIR COMPRESSOR OIL FREE 60 LTR

SR. NO.	MODEL No.	TANK CAPACITY	AIR FILING TIME
1	BT 60 OFAC	60 LTR	2 MIN 27 SEC
2	BT 60 OFACHS 1100	60 LTR	1 MIN 25 SEC
3	BT 60 OFACHS 1400	60 LTR	1 MIN 3 SEC

AIR COMPRESSOR OIL FREE 100 LTR

SR. NO.	MODEL No.	TANK CAPACITY	AIR FILING TIME
1	BT 100 OFACHS 1400	100 LTR	1 MIN 30 SEC

AIR COMPRESSOR OIL FREE 180 LTR

SR. NO.	MODEL No.	TANK CAPACITY	AIR FILING TIME
1	BT 180 OFACHS 1400	180 LTR	1 MIN 20 SEC



BTALI[®]

AIR COMPRESSOR BELT DRIVEN



EASY
TRANSPORT



GUARANTEED
QUALITY



AIR COMPRESSOR
PRO LINE

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

BELT DRIVEN AIR COMPRESSORS

SR. NO.	MODEL NAME	PHASE	PISTON SIZE	HP	TANK IN LTR	TANK SIZE (MM)	CAPACITY		PRESSURE BAR/PSI
							L.P.M	C.F.M	
1	BT 100 BDAC - 0.12V	1	51MM*1	1.50	100 LTR	Ø450*420	120	4.2	8/115
2	BT 200 BDAC - 0.25V	1	65MM*2	3.00	200 LTR	Ø600*420	250	8.77	8/115
3	BT 30 BDAC - 0.36	1	51MM*1	0.75	30 LTR	Ø240*560	36	1.26	8/115
4	BT 40 BDAC - 0.36	1	51MM*1	0.75	40 LTR	Ø250*610	36	1.26	8/115
5	BT 50 BDAC - 0.36	1	51MM*1	0.75	50 LTR	Ø280*625	36	1.26	8/115
6	BT 60 BDAC - 0.36	1	51MM*1	0.75	60 LTR	Ø300*625	36	1.26	8/115
7	BT 50 BDAC - 0.12	1	51MM*2	1.50	50 LTR	Ø280*625	120	4.20	8/115
8	BT 60 BDAC - 0.12	1	51MM*2	1.50	60 LTR	Ø300*625	120	4.20	8/115
9	BT 85 BDAC - 0.12	1	51MM*2	1.50	85 LTR	Ø320*750	120	4.20	8/115
10	BT 100 BDAC - 0.12	1	51MM*2	1.50	100 LTR	Ø380*750	120	4.20	8/115
11	BT 60 BDAC - 0.17	1	51MM*2	2.00	60 LTR	Ø300*625	170	5.95	8/115
12	BT 85 BDAC - 0.17	1	51MM*2	2.00	85 LTR	Ø320*750	170	5.95	8/115
13	BT 85 BDAC - 0.25	1	65MM*2	3.00	85 LTR	Ø320*750	250	8.77	8/115
14	BT 100 BDAC - 0.25	1	65MM*2	3.00	100 LTR	Ø380*750	250	8.77	8/115
15	BT 120 BDAC - 0.25	1	65MM*2	3.00	120 LTR	Ø400*750	250	8.77	8/115
16	BT 150 BDAC - 0.25	1	65MM*2	3.00	150 LTR	Ø450*750	250	8.77	8/115
17	BT 200 BDAC - 0.25	1	65MM*2	3.00	200 LTR	Ø450*1050	250	8.77	8/115
18	BT 150 BDAC - 0.36-S	1	65MM*3	4.00	150 LTR	Ø400*1050	360	12.6	8/115
19	BT 200 BDAC - 0.36-S	1	65MM*3	4.00	200 LTR	Ø450*1050	360	12.6	8/115
20	BT 250 BDAC - 0.36-S	1	65MM*3	4.00	250 LTR	Ø500*1050	360	12.6	8/115
21	BT 150 BDAC - 0.36-T	3	65MM*3	4.00	150 LTR	Ø400*1050	360	12.6	8/115
22	BT 200 BDAC - 0.36-T	3	65MM*3	4.00	200 LTR	Ø450*1050	360	12.6	8/115
23	BT 250 BDAC - 0.36-T	3	65MM*3	4.00	250 LTR	Ø500*1050	360	12.6	8/115
24	BT 250 BDAC - 0.48/8	3	80MM*2	5.50	250 LTR	Ø500*1050	480	16.80	8/115
25	BT 250 BDAC - 0.6/8	3	90MM*2	5.50	250 LTR	Ø500*1050	600	21	8/115
26	BT 250 BDAC - 0.48/12.5	3	80MM*1 + 65MM*1	5.50	250 LTR	Ø500*1050	320	11.20	12.5/180
27	BT 250 BDAC - 0.6/12.5	3	90MM*1 + 65MM*1	5.50	250 LTR	Ø500*1050	408	14.28	12.5/180
28	BT 300 BDAC - 0.9	3	90MM*3	10.00	300 LTR	Ø500*1250	900	31.5	8/115
29	BT 500 BDAC - 0.9	3	90MM*3	10.00	500 LTR	Ø600*1500	900	31.5	8/115
30	BT 300 BDAC - 1.05	3	105MM*2 + 55MM*2	10.00	300 LTR	Ø500*1250	1050	36.75	12.5/180
31	BT 500 BDAC - 1.05	3	105MM*2 + 55MM*2	10.00	500 LTR	Ø600*1500	1050	36.75	12.5/180
32	BT 50BDAC - IT55	1	55MM*2	2	50	Ø280*625	170	5.95	8/115
33	BT 50BDAC - IT65	1	65MM*2	3	50	Ø280*625	250	8.77	8/115
34	BT 50BDAC - IT70	1	70MM*2	4	50	Ø280*625	300	10.5	8/115
35	BT 200BDAC - IT55	1	55MM*2	2	200	Ø450*1050	170	5.95	8/115
36	BT 24 BDAC	1	51MM*1	0.75	24L	Φ 240*500	36	1.26	8/115
37	BT 30 BDAC	1	51MM*1	0.75	30L	Φ 240*560	36	1.26	8/115
38	BT 70 BDAC	1	65MM*1	1	70L	Φ 320*625	80	2.8	8/115

BT=BTALI, BDAC=BELT DRIVEN AIR AIR COMPRESSOR,V=VERTICAL, S= SINGLE PHASE, T= THREE PHASE



B TALI[®]

AIR COMPRESSOR

(MADE IN INDIA RAJKOT)

SINGLE STAGE AIR COMPRESSOR



EASY
TRANSPORT



GUARANTEED
QUALITY



AIR COMPRESSOR
PRO LINE

ISO 9001:2015
CERTIFIED COMPANY



BTALI®

SINGLE CYLINDER SINGLE STAGE AIR COMPRESSOR

SR. NO.	MODEL	H.P.	R.P.M.	TANK SIZE			WORKING PRESSURE		BOR x STOKE	PISTON DISPLACEMENT	APROX WEIGHT W/O MOTOR
				IN INCH	IN LITERS	IN PSI	PSI	Kg/CM2	MM	CFM	Kg.
1	BTAC-1	0.5	750	8X24	20	60	50	5	57mm x 40mm	3.5	30
2	BTAC-2	0.5	750	10X28	35	100	75	5	57mm x 40mm	3.5	40
3	BTAC-3	1	750	11X32	50	150	125	8	63mm x 50.8mm	4.5	50
4	BTAC-3-C	1	750	14X32	85	250	150	10	63mm x 50.8mm	4.5	60
5	BTAC-4	1	750	12X32	60	200	150	10	63mm x 57.15mm	5.15	60
6	BTAC-4-B	1	750	14X32	85	250	150	10	63mm x 57.15mm	5.15	65
7	BTAC-4-C	1	750	15X36	105	300	160	11	63mm x 57.15mm	5.15	75
8	BTAC-6	2	750	15x36	105	300	160	11	65mm x 88.9mm	8.85	90
9	BTAC-6-B	2	750	16x40	135	350	170	12	65mm x 88.9mm	8.85	100
10	BTAC-6-C	2	750	18x40	175	375	170	12	65mm x 88.9mm	8.85	120

DOUBLE CYLINDER SINGLE STAGE AIR COMPRESSOR

SR. NO.	MODEL	H.P.	R.P.M.	TANK SIZE			WORKING PRESSURE		BOR x STOKE	PISTON DISPLACEMENT	APROX WEIGHT W/O MOTOR
				IN INCH	IN LITERS	INPSI	PSI	Kg / CM	MM	CFM	Kg.
1	BTAC-1-V	1	750	12x32	60	200	150	10	57mm x 50.8mm	5.0	60
2	BTAC-1-V-B	1	750	14x32	85	250	150	10	57mm x 50.8mm	5.0	65
3	BTAC-1-A	1	750	10x28	35	100	60	4	50.8mm x 50.8mm	5.25	50
4	BTAC-1-A-B	1	750	11 x32	50	150	115	8	50.8mm x 50.8mm	5.25	60
5	BTAC-1-A-C	1	750	12x32	60	200	150	10	50.8mm x 50.8mm	5.25	70
6	BTAC-1-A-D	1	750	14x32	85	250	150	10	50.8mm x 50.8mm	5.25	80
7	BTAC-2-V	1.5	750	14x32	85	250	150	10	63mm x 50.8mm	7.60	75
8	BTAC-2-V-B	1.5	750	15x36	105	300	150	10	63mm x 50.8mm	7.60	80
9	BTAC-3-A*	2	750	15x36	105	300	150	10	63.5mm x 68mm	9.15	85
10	BTAC-3-A-B	2	750	16x40	135	350	160	11	63.5mm x 68mm	9.15	100
11	BTAC-3-A-C	2	750	18x40	175	375	170	12	63.5mm x 68mm	9.15	125
12	BTAC-3-A-D	2	750	18x44	190	400	170	12	63.5mm x 68mm	9.15	140
13	BTAC-4-V	2	750	15x36	105	300	150	10	65mm x 70mm	10.0	85
14	BTAC-4-V-B	2	750	16x40	135	350	160	11	65mm x 70mm	10.0	100
15	BTAC-4-V-C	2	750	18x40	175	375	170	12	65mm x 70mm	10.0	125
16	BTAC-4-V-D	2	750	18x44	190	400	170	12	65mm x 70mm	10.0	140
17	BTAC-5-V*	3	750	16x40	135	350	160	11	70mm x 70mm	13.90	100
18	BTAC-5-V-B*	3	750	18x44	190	400	170	12	70mm x 70mm	13.90	140
19	BTAC-5-V-C*	3	750	18x54	300	450	170	12	70mm x 70mm	13.90	150

BT AC = Btali Air Compressor, * = With Auto Switch

All Air Compressor are Fitted with M. Pully, Channel, P. Guage, Safety Valve, Delivery Valve, D. Bolt And Std Accessories.



B TALI[®]

AIR COMPRESSOR

[MADE IN INDIA RAJKOT]

DOUBLE STAGE AIR COMPRESSOR



EASY
TRANSPORT



GUARANTEED
QUALITY



AIR COMPRESSOR
PRO LINE

ISO 9001:2015
CERTIFIED COMPANY



DOUBLE CYLINDER DOUBLE STAGE AIR COMPRESSOR

SR. NO.	MODEL	H.P.	R.P.M.	TANK SIZE			WORKING PRESSURE		BOR X STOKE	PISTON DISPLACEMENT	APROX WEIGHT W/O MOTOR
				IN INCH	IN LITERS	IN PSI	PSI	Kg/CM2	MM	CFM	Kg.
1	BTAC-DCDS3*	3	720	16x40	135	350	175	12.3	3"x1 ³ / ₄ "x2 ³ / ₄ "	7.5	90
2	BTAC-DCDS3-B*	3	720	18x44	190	400	175	12.3	3"x1 ³ / ₄ "x2 ³ / ₄ "	7.5	160
3	BTAC-DCDS5*	5	720	18x54	225	450	175	12.3	4" x 2 ¹ / ₂ " x 2 ³ / ₄ "	16	185
4	BTAC-DCDS5-B*	5	720	20x60	300	500	175	12.3	4" x 2 ¹ / ₂ " x 2 ³ / ₄ "	16	240
5	BTAC-DCDS7.5*	7.5	640	20x60	300	500	175	12.3	5" x 3" x 3 ¹ / ₂ "	27.5	270
6	BTAC-DCDS10*	10	720	20x60	300	500	175	12.3	5 ¹ / ₂ "x3"x4"	41	285
7	BTAC-DCDS12.5*	12.5	820	24x66	485	600	175	12.3	5 ¹ / ₂ "x3"x4"	46	375
8	BTAC-DCDS15*	15	640	24x66	485	600	175	12.3	5" x 5" x 3 ¹ / ₂ "x 4"	64	375
9	BTAC-DCDS20*	20	760	24x66	485	600	175	12.3	5" x 5" x 3 ¹ / ₂ "x 4"	74	375

BT AC = Btali Air Compressor, DCDS=Double Cylinder Double Stage, * = With Auto Switch
 All Air Compressor are Fitted with M. Pully, Channel, P. Guage, Safety Valve, Delivery Valve, D. Bolt And Std Accessories.




B TALI[®]

AIR COMPRESSOR

[MADE IN INDIA COIMBATORE]

SINGLE STAGE AIR COMPRESSOR



EASY
TRANSPORT



GUARANTEED
QUALITY



AIR COMPRESSOR
PRO LINE

ISO 9001:2015
CERTIFIED COMPANY



SINGLE STAGE AIR COMPRESSOR

SR. NO.	MODEL	MOTOR		PISTON SIZE	TANK CAPACITY	RPM	WORKING PRESSURE	
		HP	KW				KG/CM2	PSI
1	CBTC-05	0.5	0.37	57mm	35 LTR	840	5	70
2	CBTC-05 A	0.5	0.37	57mm	45 LTR	840	5	70
3	CBTC-10	1	0.75	60mm	70 LTR	1250	7	100
4	CBTC-10 A	1	0.75	60mm	110 LTR	1250	7	100
5	CBTC-15	1.5	1.11	60mm	135 LTR	1080	7	100
6	CBTC-20 A	2	1.5	70mm	160 LTR	900	9	128
7	CBTC-20 B	2	1.5	60mm X 60mm	160 LTR	720	9	128
8	CBTC-20 C	2	1.5	60mm X 60mm	200 LTR	720	9	128
9	CBTC-20 D	2	1.5	60mm X 60mm	220 LTR	720	9	128
10	CBTC-30 A (SSSP)	3	2.2	70mm X 70mm	220 LTR	550	9	128
11	CBTC-30 A (SSTP)	3	2.2	70mm X 70mm	220 LTR	550	9	128
12	CBTC-30 B (LG)	3	2.2	70mm X 70mm	220 LTR	550	9	128
13	CBTC-30 C	3	2.2	70mm X 70mm	250 LTR	550	9	128
14	CBTC-50 A	5	3.7	70mm X 70mm	250 LTR	720	9	128
15	CBTC-50 B	5	3.7	70mm X 70mm	300 LTR	720	9	128
16	CBTC-75 A	7.5	5.6	100mm X 100mm	250 LTR	720	7	100
17	CBTC-75 B	7.5	5.6	100mm X 100mm	300 LTR	720	7	100
18	CBTC-100 A	10	7.5	100mm X 100mm	420 LTR	950	7	100
19	CBTC-100 B	10	7.5	100mm X 100mm	500 LTR	950	7	100

CBTC=COIMBATORE BTALI COMPRESSOR, 05=MODEL NO



BTALI®

AIR COMPRESSOR

[MADE IN INDIA COIMBATORE]

DOUBLE STAGE AIR COMPRESSOR



EASY
TRANSPORT



GUARANTEED
QUALITY



AIR COMPRESSOR
PRO LINE

ISO 9001:2015
CERTIFIED COMPANY




DOUBLE STAGE AIR COMPRESSOR

Sr. No.	MODEL	MOTOR		PISTON SIZE	TANK CAPACITY	RPM	WORKING PRESSURE	
		HP	KW				KG/CM2	PSI
1	CBTC-200 A(SP)	2	1.5	70mm x 60mm	160 LTR	900	12	170
2	CBTC-200 B(SP)	2	1.5	70mm x 60mm	200 LTR	900	12	170
3	CBTC-200 A	2	1.5	70mm x 60mm	160 LTR	900	12	170
4	CBTC-300 A	3	2.2	70mm X 50mm	220 LTR	950	12	170
5	CBTC-300 B	3	2.2	70mm X 50mm	250 LTR	950	12	170
6	CBTC-500 A	5	3.7	100mm X 60mm	250 LTR	720	12	170
7	CBTC-500 B	5	3.7	100mm X 60mm	300 LTR	720	12	170
8	CBTC- 600 A	7.5	5.6	100mm X 60mm	250 LTR	950	12	170
9	CBTC-600 B	7.5	5.6	100mm X 60mm	300 LTR	950	12	170
10	CBTC-1000 A	10	7.5	100mm X 70mm X 100mm	420 LTR	720	12	170
11	CBTC-1000 B	10	7.5	100mm X 70mm X 100mm	500 LTR	720	12	170

CBTC=COIMBATORE BTALI COMPRESSOR, 05=MODEL NO



CRANK CASE +
SIDE COVER



RING (3PCS SET)



CONNECTOR ROD




PISTON



CYLINDER HEAD



UNLOADING



EXHAUST PIPE



EXHAUST ELBOW



WITHOUT REGULATOR
ASSEMBLY



GASKET (3PCS SET)



NEW DESIGN COVER
(2 PCS SET)



VALVE SHEET



DRIN VALVE



OIL PLUG



AIR FILTER (PVC)



CAPACITOR



OVERLOAD PROTECTOR
SWITCH



PRESSURE GAUGE
(SMALL)



AIR FILTER (METAL)




NRV




MAGNETIC VALVE



CONNECTOR ROD



FAN COVER



O RING



VALVE PLATE



CRANK



CONNECTOR ROD RING



PIPE



PRESSURE SWITCH COVER



SAFETY VALVE

B *TALI*® **INTERNATIONAL**

Authorised Dealer / Distributor



www.btaliinternational.com
info@btaliinternational.com
[@btaliinternational_](https://www.instagram.com/btaliinternational_)
[@btaliinternational8673](https://www.youtube.com/channel/UC...)