## 

# ALL PRODUCTS 2



BTALI INTERNATIONAL is an Indian based company Established In The Year 2001 .It is an ISO 9001:2015 Certified Company And Also Crisel Verified.

We Are Importing All Kinds Of Machinery & Pumps Mainly Air Compressors, High Pressure Washer, Submersible Pump, Pump Control Etc.

We have a team of Highly Qualified Employees & Skilled Engineers Which Work together to build a long relationship with Our Customers by offering them wide range of quality products.

Today We Are Privileged To Connect With More Than 200 Dealers Around India Through Our Best Products.



#### PRODUCTS NAME

#### **INDEX**

#### PAGE NO.

#### **HIGH PRESSURE WASHER MACHINERIES**

<b>&gt;</b>	BT 900 HPW	01-02
<b>&gt;</b>	BT 1000 HPW	03-04
<b>&gt;</b>	BT 1000-C HPW CLASSIC SERIES	05-06
<b>&gt;</b>	BT 1000-0 HPW DELUXE SERIES	07-08
<b>&gt;</b>	BT 1000-02 HPW DYNAMIC SERIES	09-10
<b>&gt;</b>	BT 1000-E HPW ELEGANCE SERIES	11-12
<b>&gt;</b>	BT 1000-P HPW PROFESSIONAL SERIES	13-14
<b>&gt;</b>	BT 1000-S HPW SMART SERIES	15-16
<b>&gt;</b>	BT 1000 HPW ECO SERIES	17-18
<b>&gt;</b>	BT 1000 HPW ULTRA SERIES	19-20
<b>&gt;</b>	BT 1030 HPW	21-22
<b>&gt;</b>	BT 1050 HPW	23-24
<b>&gt;</b>	BT 1060 HPW	25-26
<b>&gt;</b>	BT 1090 HPW	27-28
<b>&gt;</b>	BT 1100 HPW	29-30
<b>&gt;</b>	BT 1150 HPW	31-32
<b>&gt;</b>	BT 1200 HPW	33-34
<b>&gt;</b>	BT 1300 HPW	35-36
<b>&gt;</b>	BT 1400 HPW	37-38
<b>&gt;</b>	BT 1800 HPW	39-40
<b>&gt;</b>	BT 1900 HPW PRO LINE	41-42
<b>&gt;</b>	BT 2100 HPW PRO LINE	43-44
<b>&gt;</b>	BT 2200 HPW	45-46
<b>&gt;</b>	BT 2300 HPW	47-48
<b>&gt;</b>	BT 2400 HPW PRO LINE	49-50
<b>&gt;</b>	BT 2500 HPW	51-52
	HIGH PRESSURE WASHER PROFESSIONAL SERIES	
<b>&gt;</b>	BT 1600 HPW	53-54
<b>&gt;</b>	BT 1800 HPW PRO SERIES	55-56
<b>&gt;</b>	BT 2200 HPW PRO SERIES	57-58
<b>&gt;</b>	BT 5000 HPW PROLINE SERIES	59-60
<b>&gt;</b>	BT 7500 HPW PRO SERIES	61-62
	HIGH PRESSURE WASHER ACCESSORIES	
<b>&gt;</b>	HPW ACCESSORIES -BRASS ADAPTOR MODEL 302	63
<b>&gt;</b>	HPW ACCESSORIES -5PCS SPRAY NOZZLE SET MODEL 345 [RED]	64
<b>&gt;</b>	HPW ACCESSORIES -5PCS SPRAY NOZZLE SET MODEL 345 (YELLOW)	65
<b>&gt;</b>	HPW ACCESSORIES -5PCS SPRAY NOZZLE SET MODEL 345 [GREEN]	66
<b>&gt;</b>	HPW ACCESSORIES -5PCS SPRAY NOZZLE SET MODEL 345 [WHITE]	67
<b>&gt;</b>	HPW ACCESSORIES-5PCS SPRAY NOZZLE SET MODEL 345 [BLACK]	68

<b>&gt;</b>	HPW ACCESSORIES-ANGULAR ATTACHMENT	69
<b>&gt;</b>	HPW ACCESSORIES-BT 2200HPW COUPLING MODEL-438	70
<b>&gt;</b>	HPW ACCESSORIES-BT 1000HPW PIPE CONNECTOR	71
<b>&gt;</b>	HPW ACCESSORIES-BT 1000HPW NOZZLE CONNECTOR	72
<b>&gt;</b>	HPW ACCESSORIES-QUICK CONNECTOR ADAPTOR & NIPPLE	73
<b>&gt;</b>	HPW ACCESSORIES-SWIWEL SMALL PART-1&2	74
<b>&gt;</b>	HPW ACCESSORIES-FOAM GUN FILTER	75
<b>&gt;</b>	HPW ACCESSORIES-EXTENSION ROD 380MM	76
<b>&gt;</b>	HPW ACCESSORIES -BT1800/2200/2300/2500 HPW-	77
	HOSE PIPE NOZZLE CONNECTOR	
<b>&gt;</b>	HPW ACCESSORIES -BT1800/2200/2300/2500HPW-	78
	COMMON GUN NOZZLE CONNECTOR	
<b>&gt;</b>	HPW ACCESSORIES-UNIVERSAL ADAPTOR 503	79
<b>&gt;</b>	HPW ACCESSORIES-SPLITTER PLUG 3/8 INCH	80
<b>&gt;</b>	HPW ACCESSORIES-TWIN LANCE SPRAYER BT HPW A TLS-20	81
<b>&gt;</b>	HPW ACCESSORIES-UNDERBODY BRUSH BT HPW A-UB-001-16	82
<b>&gt;</b>	HPW ACCESSORIES - SURFACE CLEANER BT HPW A-SF-18	83
<b>&gt;</b>	HPW ACCESSORIES - ROTATORY NOZZLE BT HPW A-RN-040-08/050-09/070-10	84
<b>&gt;</b>	HPW ACCESSORIES-HOSE PIPE 6/8/10/15/20 MTR	85
<b>&gt;</b>	HPW ACCESSORIES - BT 1000 HPW 8 MTR NYLON HOSE	86
<b>&gt;</b>	HPW ACCESSORIES-BT 1800HPW 10 MTRS HOSE	87
<b>&gt;</b>	HPW ACCESSORIES-BT 2200HPW 10/20 MTRS R2 HOSE	88
<b>&gt;</b>	HPW ACCESSORIES - FOAM GUN BT HPWA-FG-309-14	89
<b>&gt;</b>	HPW ACCESSORIES-FOAM GUN BT HPWA-FG-310-15	90
<b>&gt;</b>	HPW ACCESSORIES - PLASTIC GUN BT HPW-A-PG-208-21	91
<b>&gt;</b>	HPW ACCESSORIES-PLASTIC GUN BT HPW A-1000-28	92
<b>&gt;</b>	HPW ACCESSORIES - ANGULAR PLASTIC GUN BT HPW A-APG-19	93
<b>&gt;</b>	HPW ACCESSORIES-LONG GUN BT HPW A-LG-05	94
<b>&gt;</b>	HPW ACCESSORIES - PLASTIC GUN BT 1000/1200 HPW-17	95
<b>&gt;</b>	HPW ACCESSORIES-PLASTIC GUN BT HPW A-1800-11	96
<b>&gt;</b>	HPW ACCESSORIES-PLASTIC GUN BT HPW A-1000/1200-02	97
<b>&gt;</b>	HPW ACCESSORIES - SWIWEL SHORT GUN BT HPW-A-SSG-291-1-24	98
<b>&gt;</b>	HPW ACCESSORIES-SWIWEL SHORT GUN BT HPW-A-SSG-295-18	99
<b>&gt;</b>	HPW ACCESSORIES - SWIWEL LONG GUN BT HPW-A-SLG-880-23	100
	HPW ACCESSORIES-SHORT GUN BT HPW A-SG-293-12	101
	HPW ACCESSORIES - SHORT GUN BT HPWA-SG-258-13	102
	HPW ACCESSORIES - SWIWEL SHORT GUN BT HPW-A-SSG-266-22	103
	POWER PRODUCT	
<b>&gt;</b>	AGRICULTURAL POWER SPRAYER	104-106
	FOAM TANK	107
	WET & DRY VACUUM CLEANER	108-111
<b>&gt;</b>	SPARE PARTS	112

PRODUCTS NAME

#### **INDEX**

PAGE NO.

 	 	RES	 _

<b>&gt;</b>	MONO BLOCK AIR COMPRESSOR	113-117
<b>&gt;</b>	BT 24 MAC	113
<b>&gt;</b>	BT 50 MAC	114
<b>&gt;</b>	BT 50T MAC	115
<b>&gt;</b>	BT 24 ESMAC	116
<b>&gt;</b>	BT 50 ESMAC	117
<b>&gt;</b>	OIL FREE AIR COMPRESSOR	118-127
<b>&gt;</b>	BT 9 OFAC	118
•	BT 25 OFAC	119
•	BT 50 OFAC	120
<b>&gt;</b>	BT 50T OFAC	121
<b>&gt;</b>	BT 60 OFAC	122
<b>&gt;</b>	BT 550 OFACB	123
<b>&gt;</b>	BT 750 OFACB	124
<b>&gt;</b>	BT 1300 OFACB	125
<b>&gt;</b>	BT 30 RTOFAC	126
<b>&gt;</b>	BT 40 RTOFAC	127
<b>&gt;</b>	HIGH SPEED AIR COMPRESSOR	128-141
<b>&gt;</b>	BT 9 OFACHS 1100	128
<b>&gt;</b>	BT 15 OFACHS 1400	129
<b>&gt;</b>	BT 25 OFACHS 1100	130
<b>&gt;</b>	BT 25 OFACHS 1400	131
<b>&gt;</b>	BT 50 OFACHS 1100	132
<b>&gt;</b>	BT 50 OFACHS 1400	133
<b>&gt;</b>	BT 50T OFACHS 1100	134
<b>&gt;</b>	BT 50T OFACHS 1400	135
<b>&gt;</b>	BT 60 OFACHS 1100	136
<b>&gt;</b>	BT 60 OFACHS 1400	137
<b>&gt;</b>	BT 100 OFACHS 1400	138
<b>&gt;</b>	BT 180 OFACHS 1400	139
<b>&gt;</b>	BT 1100 OFACHSB	140
	BT 1400 OFACHSB	141
<b>&gt;</b>	AIR FILLING TIME OF AIR COMPRESSOR	142
<b>&gt;</b>		143-144
	AIR COMPRESSOR (MADE IN INDIA RAJKOT)	145-148
	AIR COMPRESSOR (MADE IN INDIA COIMBATORE)	149-152
	SPARE PARTS OF AIR COMPRESSOR	153
	PUMP & ACCESSORIES	
	AUTOMATIC PUMP CONTROLLER	154-155
	WATER PUMP	156-161
	SELF PRIMING AUTOMATIC PUMPS	
	AUTOMATIC BOOSTER PUMPS	
	PRESSURE TANKS	162-165
	SUBMERSIBLE PUMPS	166-185
	• SIDE DISCHARGE	
	· CENTRE DELIVERY	
	ACCESSORIES	186
	SPARE PARTS	187






### ACCESSORIES

FOR HIGH PRESSURE WASHER







## HIGH PRESSURE WASHER BRASS ADAPTOR MODEL 302

#### PRODUCT DISCRIPTION

Part No. 0001

- Thread size: 1/4" Female Quick Connection With M14\*1.5 Thread.
- Material: Made Of High-Quality Brass, Durable, Not Easy To Rust And Resistance To Corrosion.
- Perfect for: Quick Exchange Of Spray Guns And Nozzles; Fit Most Pressure Washer Equipment.

	PACKING DETAILS			
QTY.	MASTER PACKING	PACKING TYPE		
1 PC	10 PCS	POUCH		









## HIGH PRESSURE WASHER 25 PCS SPRAY NOZZLE SET MODEL 345 (RED)

#### PRODUCT DISCRIPTION

Part No. 0002

- Spray Angle Tips: Meet your need in different situations, such as watering flowers and plants, washing car, and can be attached to a quick connect wand for swifter application and easily Designed for High pressure washing upto 4000 PSI.
- More Application: Can be attached to a Quick connect wand for Swifter application and more.

PACKING DETAILS			
QTY.	MASTER PACKING	PACKING TYPE	
25 PCS	4 POUCH (1 BOX)	РОИСН	









## HIGH PRESSURE WASHER 25 PCS SPRAY NOZZLE SET MODEL 345 (YELLOW)

#### PRODUCT DISCRIPTION

Part No. 0003

- •Spray Angle Tips: Meet your need in different situations, such as watering flowers and plants, washing car, and can be attached to a quick connect wand for swifter application and easily Designed for High pressure washing upto 4000 PSI.
- More Application: Can be attached to a Quick connect wand for Swifter application and more.

PACKING DETAILS			
QTY.	MASTER PACKING	PACKING TYPE	
25 PCS	4 POUCH (1 BOX)	POUCH	







## 37ALI®



## HIGH PRESSURE WASHER 25 PCS SPRAY NOZZLE SET MODEL 345 (GREEN)

#### PRODUCT DISCRIPTION

Part No. 0004

- Spray Angle Tips: Meet your need in different situations, such as watering flowers and plants, washing car, and can be attached to a quick connect wand for swifter application and easily Designed for High pressure washing upto 4000 PSI.
- More Application: Can be attached to a Quick connect wand for Swifter application and more.

PACKING DETAILS			
QTY.	MASTER PACKING	PACKING TYPE	
25 PCS	4 POUCH (1 BOX)	POUCH	









## HIGH PRESSURE WASHER 25 PCS SPRAY NOZZLE SET MODEL 345 (WHITE)

#### PRODUCT DISCRIPTION

**Part No. 0005** 

- Spray Angle Tips: Meet your need in different situations, such as watering flowers and plants, washing car, and can be attached to a quick connect wand for swifter application and easily Designed for High pressure washing upto 4000 PSI.
- More Application: Can be attached to a Quick connect wand for Swifter application and more.

PACKING DETAILS			
QTY.	MASTER PACKING	PACKING TYPE	
25 PCS	4 POUCH (1 BOX)	POUCH	









## HIGH PRESSURE WASHER 25 PCS SPRAY NOZZLE SET MODEL 345 (BLACK)

#### PRODUCT DISCRIPTION

**Part No. 0006** 

- Spray Angle Tips: Meet your need in different situations, such as watering flowers and plants, washing car, and can be attached to a quick connect wand for swifter application and easily Designed for High pressure washing upto 4000 PSI.
- More Application: Can be attached to a Quick connect wand for Swifter application and more.

PACKING DETAILS			
QTY.	MASTER PACKING	PACKING TYPE	
25 PCS	4 POUCH (1 BOX)	POUCH	







## 37ALI®







## H G H PRESSURE WASHER ANGULAR ATTACHMENT

#### PRODUCT DISCRIPTION

Part No. 0007


- Material: Quick connect pivoting coupler made of stainless steel and brass for corrosion and oxidation resistance.
- Pivoting Coupler: Pressure up to 4500 PSI, 1/4-inch quick change, 2.5 orifice size, 2.5GPM, max temperature 158°F, adjusts 180 degrees for 5 different cleaning angles.

PACKING DETAILS			
QTY.	MASTER PACKING	PACKING TYPE	
1 PC	NA	РОИСН	











## HIGH PRESSURE WASHER COUPLING MODEL 438

#### PRODUCT DISCRIPTION

**Part No. 0008** 

- Thread Size: 3/8" Quick Connection With G3/8 -3/8 Thread.
- Suitable For: Connection Between Pressure Washer and Water Hose.

PACKING DETAILS				
QTY.	MASTER PACKING	PACKING TYPE		
1 PC	5 PCS	POUCH		









## HIGH PRESSURE WASHER BT 1000 HPW PIPE CONNECTOR

#### PRODUCT DISCRIPTION

**Part No. 0009** 

 100% BRASS High Quality. M22 Metric Male to Male Brass Pressure Washer Adapter Hose Coupler Fitting Connector High-Pressure Adapter for Connecting Two Metric M22 Hoses Made of Brass for Corrosion Resistance, Ductility at High Temperatures, Low Magnetic Permeability Both ends are M22 Male Threaded, Convenient to Connect.


PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	5 PCS	POUCH











## HIGH PRESSURE WASHER BT 1000 HPW NOZZLE CONNECTOR

#### PRODUCT DISCRIPTION

**Part No. 0010** 

- Stainless Steel Quick Release Type Heavy Duty.
- Ideal for Foam Lance, Gun, Pipe and other Quick Release Couplings.
- 1 set of Standard Brass Quick Connect Fittings M14.

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	5 PCS	POUCH










2 PC SET







## HIGH PRESSURE WASHER CONNECTOR ADAPTOR & NIPPLE

#### PRODUCT DISCRIPTION

**Part No. 0011** 

- 1pc Brass M22 Female Pipe Thread Connector and 1pc BRASS M22 Male Pipe Thread Quick Connect
- Set of 2 Standard Brass Quick Connect Fittings for your pressure washer Hose.
- Ideal for Quick Exchange of Spray Guns and Nozzles, Max. Working Pressure: 5,000 PSI.

PACKING DETAILS		
QTY. MASTER PACKING PACKING TYPE		PACKING TYPE
1 SET	5 SET	РОИСН

















## PRESSURE WASHER SWIWEL SMALL PART 1 & 2

### PRODUCT DISCRIPTION

Part No. 0012

 Allows Hose Rotate Freely During use no Annoying kinks or Wresting with your Hose.

PACKING DETAILS		
QTY. MASTER PACKING PACKING TYPE		
1 SET	NA	РОИСН













## PRESSURE WASHER FOAM GUN FILTER

### PRODUCT DISCRIPTION

Part No. 0013

- Stainless Replacement Pressure Washer Snow
   Foam Lance Mesh Gauze Filter made of
   High Quality Stainless Steel, Durable and Practical.
- This Mesh Filter is for Foam Nozzle/ Foam Generator/ Foam.
- Suitable for All Types of Foam Lance.
- Material: Stainless Steel.

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	25 PCS	РОИСН











1/4" Female Thread





1/4" Male Thread

## PRESSURE WASHER EXTENSION ROD 380MM

### PRODUCT DISCRIPTION

Part No. 0014

 High-pressure Washer Extension Rod gives extension to Gun And Overall Convenience For Reaching To Height And Under The Vehicle Places


PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	NA	NA







## 37ALI®



## PRESSURE WASHER BT 1800/2200/2300/2500 HPW HOSE PIPE NOZZLE CONNECTOR

### PRODUCT DISCRIPTION

**Part No. 0015** 

Stainless Steel Pressure Washer 3/8 Male
 Quick Connect Adaptor is made of High Quality
 and Durable Stainless Steel, Fits most Pressure
 Washer Hose Pipes

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	NA	POUCH







## 3 TALI





## PRESSURE WASHER BT 1800/2200/2300/2500HPW COMMON CHANGE ASSURE COMMON GUN NOZZLE CONNECTOR

### PRODUCT DISCRIPTION

Part No. 0016

 Stainless Steel Pressure Washer 3/8 Male Quick Connect Adapter is made of High Quality and Durable Stainless Steel. More Rust and corrosion Resistant than Brass Material Pressure Washer Accessories Supporting High Pressures up to 5000 PSI, and has High Performance and Stability, Perfect for Quick Exchange of High Pressure Spray Nozzles.

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	NA	POUCH







### 3 TALI











**ANGLE 2** 



**ANGLE 3** 



## PRESSURE WASHER UNIVERSAL ADAPTOR 503

#### PRODUCT DISCRIPTION

Part No. 0017

- Universal adaptor is Made of Solid Brass durable and Resistant to Oxidation and Corrosion.
- Quick Connection, M14 both ends connection, fits on most Standard Pressure Washers and Spray and Nozzle Tips.
- Adjustable, 90 Degree Rotation, with 3 different Angles of cleaning, there is no hard-to-reach area. Increase cleaning efficiency and spend less time on cleaning.
- Ideal for cleaning hard to reach areas such as under the Car, Roof, House fence and Air Conditioner.

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	NA	РОИСН









#### **Connection Map**





## PRESSURE WASHER SPLITTER PLUG 3/8 INCH

#### PRODUCT DISCRIPTION

Part No. 0018

- Y Shaped, Made of Brass Fitting: 3/8" Quick Coupler Plug + 3/8" Quick Coupler Socket. Working pressure is up to 5000 PSI.
- This Two-Gun Tee Coupler Converts a One-Gun Pressure Washer into a Two-Gun System. This is a good way to power wash on a big job if you don't have 2 machines.
- Quick connect this Branch Tee onto the Pressure Washer outlet, then Connect Two Pressure Washer Hoses to Either end of the 2-Gun Splitter. Allows for 2 pressure washer users simultaneously.

PACKING DETAILS		
QTY. MASTER PACKING PACKING TYPE		PACKING TYPE
1 PC	NA	POUCH









**2 WAY FUNCTION** 

## PRESSURE WASHER TWIN LANCE SPRAYER BT HPW- A- TLS - 20

#### PRODUCT DISCRIPTION

Part No. 0019

Material : Stainless SteelProduct Length : 27.5 CmMax Pressure : 200 Bar

Connect: 1/4" Quick Connect

Weight: 0.35 Kg

PACKING DETAILS		
QTY. MASTER PACKING PACKING TYPE		PACKING TYPE
1 PC	10 PCS	COLOUR BOX







### 3 TALI



Rotatable Flexible Wheels



Spray Nozzle






1/4 Quick Connect



**Sturdy Structure** 





TWO WORKING MODES **Adjust Pivoting Coupler to Change** 

Cleaning Mode **Nozzle Down** 



PRESSURE WASHER UNDER BODY BRUSH BT HPW A - UB - 001 - 16

#### PRODUCT DISCRIPTION

Part No. 0020

Material: PVC, Stainless Steel, Brass

• Length: 60 cm

Connect: 1/4 Quick Connect

Max working Pressure : 200 Bar

Package Include: 1 x 2 in 1 Pressure washer under carriage cleaner, 1 Extension wand,

1 x 45 degree extension wand

PACKING DETAILS		
QTY. MASTER PACKING PACKING TYPE		
1 PC	10 PCS	COLOUR BOX







### 37ALI®



**Cleaning Bricks Wall** 





12 X FASTER THEN STANDARD HOSE & BRUSHES



90 Degree Rotation Quick Connect Inlet for Simple Installation & Operation



**Easy Connect** 



Dual High-Pressure Rotating Jets for a Thorough Clean



Superior Brush for Remove Stubborn Stain Effectively

## HIGH PRESSURE WASHER SURFACE CLEANER BT HPW -A-SF-18

#### PRODUCT DISCRIPTION

Part No. 0021

• Item Name: Surface Cleaner

Diameter: 15.7"

Quick-Connect Inlet: 1/4

Max Pressure : 200 Bar

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	4 PCS	COLOUR BOX







## 37ALI®





**Top Quality Rubber** 



**304 Stainless Steel** 



4.0GM



**Brass Alloy** 

360° ROTATE

PRESSURE WASHER
ROTATORY NOZZLE BT HPW
A - RN-040-08 / 050-09 / 070-10

### PRODUCT DISCRIPTION

Part No. 0022

 Rotating Turbo Nozzle uses Centrifugal Force to Produce a Strong impact and a Spray Pattern.
 The spray adds additional Scrubbing Ability to the Cleaning Process. This Provides Break-Through Cleaning on Heavily Soiled or High-Traffic Areas.

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	50 PCS	COLOUR BOX











Kink Resistant



Heavy Duty
Aluminum Connection



Single Wire Steel Braided Hose For Maximum Durability



O-Ring Connection
Guaranteed Leak Free

#### AVAILABLE IN 6/8/10/15 & 20 MTR

## PRESSURE WASHER HOSE PIPE 13.5 MM

#### PRODUCT DISCRIPTION

Part No. 0023

- Heavy Duty Pressure Washer Water Hose Pipe Available in 6/8/10/15 & 20 Meter Length Fits most of Washers having High Strength Pure Material With Braid Layer Support.
- Compatibility: Fit for M 22 thread Both Side.

	PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE	
1 PC	6/8/10 MTR - 20 PCS 15 MTR - 10 PCS 20 MTR - 5 PCS	COLOUR BOX COLOUR BOX POUCH	







## 37ALI®



## PRESSURE WASHER BY 1000 HPW 8 MTR NYLON HOSE

#### PRODUCT DISCRIPTION

. Part No. 0024

- Maximum Pressure: 8 Mtr. Washing Hose for Upto 40 Bar Rated Pressure Washer.
- Application: Works with most Gas Pressure washers with Standard M22 Connections.
- Durable Material: Superior and excellent
   Lightweight Polyester Braid Material, Highly Flexible and kink Resistant in use.
- Easy to Use: Allow Immediate Connect or Release the hose by Pressing the Lock button on the Trigger Gun.

PACKING DETAILS		
QTY. MASTER PACKING PACKING TYPE		
1 PC	40 PCS	COLOUR BOX











**Kink Resistant** 



3/8" Female Quick Connector



Single Wire Steel Braided Hose for Maximum Durability



**Bend Restrictors Protect Joint** 

Part No. 0025



## PRESSURE WASHER BT 1800 HPW 10 MTR. HOSE PIPE

#### PRODUCT DISCRIPTION

Heavy duty Pressure Washer Water Hose
 Pipe available in 10 Meter Length fits most of
 washers having High Strength Pure Material With
 Single Wire Steel Braid Layer Support.

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	NA	NA







## B TALI



Kink Resistant



3/8" Female Quick Connector



Double Wire Steel Braided Hose for Maximum Durability



**Bend Restrictors Protect Joint** 



3/8" Male Quick Connector

AVAILABLE IN 10 & 20 MTR.

## PRESSURE WASHER BT 2200 HPW R2 HOSE PIPE

#### PRODUCT DISCRIPTION

**Part No. 0026** 

 Heavy Duty Pressure Washer Water Hose Pipe Available in 10 & 20 Meter Length Fits Most of Washer Having High Strength Pure Material with Double Wire Steel Braid Layer Support.

PACKING DETAILS		
QTY. MASTER PACKING PACKING TYPE		
1 PC	NA	NA









## PRESSURE WASHER FOAM GUN BT HPW A -FG -309-14

#### PRODUCT DISCRIPTION

Part No. 0027

- Stainless Steel 1/4 Quick Connector The Connector Is Made Of Quality Brass Convenient And Quick To Connect.
- Adjustable Knob The (+) Indicates More Water, So Less Foam Is Produced The (-) Indicated Less Water, So More Foam Is Produced.
- Adjustable Spray Nozzles It Can Spray In A Decent Cylindrical Pattern It Can Spray In A Decent Fan Pattern.

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	30 PCS	COLOUR BOX









## PRESSURE WASHER FOAM GUN BT HPW A-FG-310-15

#### PRODUCT DISCRIPTION

Part No. 0028

- Stainless Steel 1/4 Quick Connector The Connector Is Made Of Quality Brass Convenient And Quick To Connect.
- Adjustable Knob The (+) Indicates More Water, So Less Foam Is Produced The (-) Indicated Less Water, So More Foam Is Produced.
- Adjustable Spray Nozzles It Can Spray In A Decent Cylindrical Pattern It Can Spray In A Decent Fan Pattern.

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	30 PCS	COLOUR BOX







### 9 TALI





Shockproof **Reinforced Body** 



Safety Trigger Lock



**M22 Thread Connector** 

BT HPW -A- PG -208-21

#### PRODUCT DISCRIPTION

Part No. 0029

- Item Name: High Pressure Washer Gun
- Material: Connector & Valves Copper, Extension Wand - Stainless Steel, Shell - Plastic.
- Applicable Connector : M22 Thread Connector
- Max Working Pressure: 70 Bar
- Max Working Temperature : 60 Degree Celcius
- Max Flow Rate : 20L/Min
- Gun Weight :401.7G

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	10 PCS	COLOUR BOX









Removable Header to Clean it



1/4 Inch Quick Release Adapter



Quick Lock



### PRODUCT DISCRIPTION

Part No. 0030

- Item Name: High Pressure Washer Gun
- Material: Connector and Valves-Copper
   Extension Wand-Stainless Steel. Shell Plastic
- Applicable Connector : M22 Thread Connector
- Max Working Pressure: 80 BAR
- Max Working Temperature: 60 Degree Celcius
- Max Flow Rate: 25L/MIN
- Weight : 460G

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	40 PCS	COLOUR BOX







# PRESSURE WASHER ANGULAR PLASTIC GUN BT HPW A-APG-19

## PRODUCT DISCRIPTION

**Part No. 0031** 

• Item Name: High Pressure Washer Gun

Applicable Connector : M22/15 (Outer Diameter

22 mm, Inner Diameter 15mm)

• Max Working Pressure : 16 M Pa/2320PSI

• Max Working Temperature : 60°C/140°F

Max Flow Rate: 15 L/min

Weight: 369q

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	50 PCS	COLOUR BOX









Extension Rod with 1/4 Connect Coupler Included



Shockproof Reinforced Body



Safety Trigger Lock



3/8 Stainless Steel Quick Connect Plug Included





## PRODUCT DISCRIPTION

**Part No. 0032** 

- Item Name: High Pressure Washer Long Gun
- Material: Connector & Valves Copper,
   Extension Wand-Stainless Steel, Shell-Plastic
- Applicable Connector: 3/8 Thread Connector
- Max Working Pressure: 180 Bar
- Max Working Temperature : 60 Degree Celcius
- Max Flow Rate: 25L/Min
- Gun Weight: 835 G

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	16 PCS	COLOUR BOX









**Superior Quality Brass** 





**Safety Trigger Lock** 



**Superior Quality Brass** 

# PRESSURE WASHER PLASTIC GUN BT 1000/1200 HPW-17

## PRODUCT DISCRIPTION

Part No. 0033

- Item Name: High Pressure Washer Pastic Gun
- Material: Connector & Valves Copper, Extension Wand - Stainless Steel, Shell-Plastic
- Applicable Connector : M22 Thread Connector
- Max Working Pressure: 200 Bar
- Max Working Temperature : 60 Degree Celsius
- Max Flow Rate : 25L/Min
- Gun Weight: 460 G

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	40 PCS	COLOUR BOX









1/4 Quick Connect Coupler Included



Shockproof Reinforced Body



Safety Trigger Lock



3/8 Stainless Steel Quick Connect Plug Included



# PRESSURE WASHER PLASTIC GUN BT HPW-A-1800-11

## PRODUCT DISCRIPTION

Part No. 0034

- Item Name: High Pressure Washer Plastic Gun
- Material: Connector & Valves Copper,
   Extension Wand Stainless Steel, Shell -Plastic
- Applicable Connector : M22 Thread Connector
- Max Working Pressure : 200 Bar
- Max Working Temperature: 60 Degree Celsius
- Max Flow Rate : 25L/Min
- Gun Weight :460G

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	20 PCS	COLOUR BOX









# PRESSURE WASHER PLASTIC GUN BT HPW A-1000 / 1200-02

## PRODUCT DISCRIPTION

Part No. 0035

• Item Name: High Pressure Washer Gun

 Material: Connector and Valves-Copper Extension Wand-Stainless Steel, Shell Plastic

• Applicable Connector : M22 Thread Connector

Max Working Pressure : 200 BAR

Max Working Temperature : 60 Degree Celcius

Max Flow Rate: 25L/MIN

• Weight: 460G

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	20 PCS	COLOUR BOX







# 3 TALI









## 360°

**lows Hose Rotate** eely During Use

No Annoying Kinks or Wresting with





**Shockproof** Reinforced Body



Safety Trigger Lock



3/8 Stainless Steel Quick **Connect Plug Included** 

# PRESSURE WASHER SWIWEL SHORT GUN DT LIDY / A BOOK BT HPW-A-SSG-291-1-24

## PRODUCT DISCRIPTION

Part No. 0036

• Item Name: High Pressure Washer Swiwel Short Gun

 Material: Connector & Valves - Copper, Extension Wand - Stainless Steel, Shell-Plastic

• Applicable Connector: 3/8 Thread Connector

• Max Working Pressure: 280 Bar

• Max Working Temperature : 60 Degree Celsius

• Max Flow Rate : 40L/Min

Gun Weight: 791.4G

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	10 PCS	COLOUR BOX







# B TALL



1/4 Quick Connect **Coupler Included** 



Shockproof **Reinforced Body** 



Safety Trigger Lock



3/8 Stainless Steel Quick **Connect Plug Included** 





360° SWIWEL

Allows Hose Rotate Freely During Use

No Annoying Kinks or Wresting with

PRESSURE WASHER
SWIWEL SHORT GUN BT HPW A - SSG - 295 - 18

PRODUCT DISCRIPTION

Part No. 0037

- Item Name: High Pressure Washer Gun
- Applicable Connector : Anti Winding (Rotating) inner G3/8+ 3/8 with connection.
- Max Working Pressure: 300 Bar
- Max Working Temperature: 60 Degree Celsius
- Max Flow Rate : 40 L/Min
- Weight: 600 GM

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	10 PCS	COLOUR BOX







## PRODUCT DISCRIPTION

Part No. 0038

• Item Name: High Pressure Washer Swiwel Long Gun

Material: Connector & Valves - Copper,
 Extension Wand - Stainless Steel, Shell -Plastic

Applicable Connector: 3/8 Thread Connector

• Max Working Pressure: 300 Bar

Max Working Temperature : 60 Degree Celsius

• Max Flow Rate : 40L/Min

• Gun Weight :1208G

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	10 PCS	COLOUR BOX







## 3 TALI



1/4 Quick Connect **Coupler Included** 



Shockproof Reinforced Body



Safety Trigger Lock



3/8 Stainless Steel Quick **Connect Plug Included** 



**Freely During Use** No Annoying Kinks or Wresting with

PRESSURE WASHER
SWIWEL SHORT GUN
BT HPW A- SSG - 293 - 12

## PRODUCT DISCRIPTION

Part No. 0039

• Item Name: High Pressure Washer Gun

 Applicable Connector: Connector and Valves Dopper Extension Wand Stainless Steel Shell Plastic.

Applicable Connector: 3/8 Thread Connector

Max Working Pressure: 350 BAR

• Max Working Temperature: 60 Degree Celsius

• Max Flow Rate : 40 L/Min

Weight: 645GM

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	10 PCS	COLOUR BOX









1/4 Quick Connect **Coupler Included** 



Shockproof Reinforced Body



**Safety Trigger Lock** 



3/8 Stainless Steel Quick **Connect Plug Included** 



360° SWIWEL

**Allows Hose Rotate Freely During Use** 

No Annoying Kinks or Wresting with Your Hose!

PRESSURE WASHER
SWIWEL SHORT GUN
BT HPW A- SSG - 258 -13

## PRODUCT DISCRIPTION

Part No. 0040

• Item Name: High Pressure Washer Gun

 Applicable Connector: Connector and Valves Dopper Extension Wand Stainless Steel Shell Plastic.

Applicable Connector: 3/8 Thread Connector

Max Working Pressure: 350 BAR

• Max Working Temperature: 60 Degree Celsius

• Max Flow Rate : 40 L/Min

Weight: 645GM

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	10 PCS	COLOUR BOX







# 9 TALI



**Freely During Use** No Annoying Kinks or Wresting with

Your Hose!



1/4 Quick Connect **Coupler Included** 



Shockproof Reinforced Body



Safety Trigger Lock



3/8 Stainless Steel Quick **Connect Plug Included** 

PRESSURE WASHER
SWIWEL SHORT GUN
BT HPW-A-SSG-266-22

## PRODUCT DISCRIPTION

Part No. 0041

• Item Name: High Pressure Washer Swiwel Short Gun

 Material: Connector & Valves - Copper, Extension Wand-Stainless Steel, Shell-Plastic

• Applicable Connector: 3/8 Thread Connector

Max Working Pressure: 350 Bar

• Max Working Temperature : 60 Degree Celcius

• Max Flow Rate: 40L/Min

Gun Weight :728.2G

PACKING DETAILS		
QTY.	MASTER PACKING	PACKING TYPE
1 PC	10 PCS	COLOUR BOX
















# POWER PRODUCT



## AGRICULTURAL POWER SPRAYER BT 22 ASP

## VOLTAGE / FREQUENCY 220V/50HZ

#### **Specifications**

PLUNGER NO/DIA/STROKE: 3X22X16MM

PRESSURE: 10-40 KG/CM2

MOTOR 1HP-2HP

SUCTION VOLUME 30-40 L/MIN

SPEED: 800-1400 RPM WEIGHT: 8.5 KG

#### FEATURES

REMOVES STUBBORN DIRT UNDER TOUGH WORKING CONDITIONS RESULTS IN EFFICIENT CLEANING SUITABLE FOR LARGE SPRAYING OPERATIONS FITTED WITH STAINLESS STEEL VALVES













## AGRICULTURAL POWER SPRAYER BT 30 ASP

## VOLTAGE / FREQUENCY 220V/50HZ

#### **Specifications**

PLUNGER NO/DIA/STROKE: 3X30X20MM

PRESSURE: 10-40 KG/CM2

MOTOR: 2HP-3HP

SUCTION VOLUME: 60-70 L/MIN

SPEED: 800-1400 RPM

WEIGHT: 11 KG

#### FEATURES

REMOVES STUBBORN DIRT UNDER TOUGH WORKING CONDITIONS RESULTS IN EFFICIENT CLEANING SUITABLE FOR LARGE SPRAYING OPERATIONS FITTED WITH STAINLESS STEEL VALVES



EASY Transport











# AGRICULTURAL OWER SPRAYER

## **VOLTAGE / FREQUENCY** 220V/50HZ

#### **Specifications**

PLUNGER NO/DIA/STROKE: 3X30X20MM

PRESSURE: 10-40 KG/CM2

MOTOR: 2HP-3HP

SUCTION VOLUME: 60-70 L/MIN

SPEED: 800-1400 RPM

WEIGHT: 11 KG

REMOVES STUBBORN DIRT UNDER TOUGH WORKING CONDITIONS RESULTS IN EFFICIENT CLEANING SUITABLE FOR LARGE SPRAYING **OPERATIONS** 

FITTED WITH STAINLESS STEEL VALVES



**EASY** TRANSPORT



**GUARANTEED OUALITY** 









# BTALL

# FOAMTANK

STAINLESS STEEL **SUS 304** 

## **VOLTAGE / FREQUENCY** 220V/50HZ

#### **Specifications**

MAXIMUM PRESSURE: 0.35MPA

TANK CAPACITY: 80 L

**POWER SOURCE: ELECTRIC** 

WEIGHT: 13 KG

STAINLESS STEEL GRADE 304 **EASY MOVEABLE COMPACT DESIGN HEAVY DUTY QUALITY** 



EASY **TRANSPORT** 



**GUARANTEED OUALITY** 





FOAM TANK


















# PUMP & ACCESORIES



# AUTOMATIC PUMP CONTROL BT 10 APC

## VOLTAGE / FREQUENCY 220V/50HZ

#### **Specifications**

STANDARD CUT-IN PRESSURE 1.2/1.5/2.2 BAR MAX RATED CURRENT 10A
MAX PRESSURE 10 bar

MAX PRESSURE 10 bar MAX POWER 1.1KW

### FEATURES

DRY RUNNING PROTECTION WITH AUTOMATIC RESET DESIGNED FOR HIGH START/STOP PER HOUR BUILT IN THERMAL PROTECTION EASY TO INSTALL AND SILENT RUNNING LOW MAINTAINANCE ,EXTENDED PUMP LIFE EASY REPAIR













# AUTOMATIC PUMP CONTROL BT 13 APC

## VOLTAGE / FREQUENCY

### 220V/50HZ

#### **Specifications**

STANDARD CUT-IN PRESSURE 1.2/1.5/2.2 BAR

MAX RATED CURRENT10AMAX PRESSURE10 barMAX POWER1.1KW

### FEATURES

DRY RUNNING PROTECTION WITH AUTOMATIC RESET DESIGNED FOR HIGH START/STOP PER HOUR BUILT IN THERMAL PROTECTION EASY TO INSTALL AND SILENT RUNNING LOW MAINTAINANCE ,EXTENDED PUMP LIFE EASY REPAIR













# BTALL®

# SELF PRIMING

## AUTOMATIC PUMP BT 25 SPAP

### VOLTAGE / FREQUENCY 220V/50HZ

#### **Specifications**

MAX POWER: 0.25 HP MAX HEAD: 28M MAX FLOW: 30L/MIN OUTLET DIAMETER: 25MM

WEIGHT: 5.6 KG

#### FEATURES

COPPER WIRE INDUCTION MOTOR DELAY START
WATER STOP, PUMP STOP
FLOW CONTROL
MACHINE LOCK PROTECTION
OVER LOAD PROTECTION













# SELF PRIMING

## AUTOMATIC PUMP BT 50 SPAP

### VOLTAGE / FREQUENCY 220V/50HZ

#### **Specifications**

MAX POWER: 0.5 HP MAX HEAD: 25 M MAX CURRENT: 2.5 A MAX FLOW: 33 L/MIN OUTLET DIAMETER: 25MM

WEIGHT: 9 KG

### **FEATURES**

COPPER WIRE INDUCTION MOTOR
DELAY START
WATER STOP, PUMP STOP
FLOW CONTROL
MACHINE LOCK PROTECTION
OVER LOAD PROTECTION















# BTALL

## SELF PRIMING AUTOMATIC PUMP BT 100 SPAP

## **VOLTAGE / FREQUENCY**

## 220V/50HZ

#### **Specifications**

MAX POWER: 1 HP MAX HEAD: 55 M MAX CURRENT: 4.2 A MAX FLOW: 58 L/MIN **OUTLET DIAMETER: 25MM** 

WEIGHT: 14 KG

COPPER WIRE INDUCTION MOTOR **DELAY START** WATER STOP, PUMP STOP FLOW CONTROL MACHINE LOCK PROTECTION OVER LOAD PROTECTION













158



## HOT&COLD AUTOMATIC BOOSTING PUMP RT 10 ARP

## VOLTAGE / FREQUENCY 220V/50HZ

#### **Specifications**

MAX POWER: 90 W MAX HEAD: 10 M

MAX CAPACITY: 20L/MIN

### FEATURES

AUTOMATIC SILENT NO LEAKAGE COMPACT DESIGN SPACE SAVING SUITABLE FOR 100 C HOT WATER EASY REPAIR











CERTIFIED COMPANY





## CIRCULATOR & BOOSTER PUMP BT 20 ABP

## VOLTAGE / FREQUENCY 220V/50HZ

#### **Specifications**

MAX POWER: 100 W

CONNECTION SIZE: 20 MM/3/4"

SPEED: 2280 MAX HEAD: 9 M

MAX CAPACITY: 23L/MIN

G.W.: 4.0 KG

### FEATURES

ENAMEL COATING AUTOMATIC SILENT NO LEAKAGE COMPACT DESIGN SPACE SAVING



EASY TRANSPORT



GUARANTEED OUALITY





CIRCULATOR PUMP PRO LINE

9M

ISO 9001:2015

CERTIFIED COMPANY





## CULATOR & BOOSTER PUMP BT 20 ABP-N

## VOLTAGE / FREQUENCY 220V/50HZ

#### **Specifications**

MAX POWER: 100 W

CONNECTION SIZE: 20 MM/3/4"

SPEED: 2280 MAX HEAD: 9 M

MAX CAPACITY: 23L/MIN

G.W.: 4.0 KG

### FEATURES

AUTOMATIC SILENT NO LEAKAGE COMPACT DESIGN SPACE SAVING



EASY TRANSPORT







CIRCULATOR PUMP PRO LINE

9M

ISO 9001:2015

CERTIFIED COMPANY





# PRESSURE TANK BT 24 LVPT

### **VOLTAGE / FREQUENCY** 220V/50HZ

#### **Specifications**

CONNECTOR **MEMBRANE** MAX PRESSURE PRE-CHARGE PRESSURE WORKING TEMPRATURE

1" STAINLESS STEEL INLET THREAD FIXED BUTYL RUBBER MEMBRANE EXPANSION TYPE 10 BAR/ 150 PSI 1.5 BAR 20 DEGREE C/+99 DEGREE C

LEAK FREE, ORING SEALED, AIR VALVE CAP COMPREHENSIVE TESTING SINGLE DIAPHARM DESIGN PATENTED STAINLESS STEEL WATER CONNECTION (3MM THICKNESS) FIXED MEMBRANE **BUTYL DIAPHARM** 















# PRESSURE TANK BT 60 LVPT

## VOLTAGE / FREQUENCY 220V/50HZ

#### **Specifications**

CONNECTOR 1" STAINLESS STEEL INLET THREAD

MEMBRANE FIXED BUTYL RUBBER MEMBRANE REPLACEABLE TYPE

FLANGE STAINLESS STEEL MAX PRESSURE 10 BAR/ 150 PSI

PRE-CHARGE PRESSURE 1.5 BAR

WORKING TEMPRATURE 20 DEGREE C/+99 DEGREE C

## **FEATURES**

NO MAINTENANCE
LEAK FREE, ORING SEALED , AIR VALVE CAP
COMPREHENSIVE TESTING
SINGLE DIAPHARM DESIGN
3MM THICKNESS STAINLESS STEEL WATER CONNECTION
PATENTED STAINLESS STEEL WATER CONNECTION
REPLACEABLE MEMBRANE
BUTYL DIAPHARM



EASY Transport











# BTALL

# PRESSURE TANK RT 80 LVPT

## **VOLTAGE / FREQUENCY**

### 220V/50HZ

#### **Specifications**

CONNECTOR 1" STAINLESS STEEL INLET THREAD

**MEMBRANE** FIXED BUTYL RUBBER MEMBRANE REPLACEABLE TYPE

**FLANGE** STAINLESS STEEL MAX PRESSURE 10 BAR/ 150 PSI

PRE-CHARGE PRESSURE 1.5 BAR

WORKING TEMPERATURE 20 DEGREE C/+99 DEGREE C

NO MAINTENANCE LEAK FREE, ORING SEALED, AIR VALVE CAP COMPREHENSIVE TESTING SINGLE DIAPHARM DESIGN 3MM THICKNESS STAINLESS STEEL WATER CONNECTION PATENTED STAINLESS STEEL WATER CONNECTION REPLACEABLE MEMBRANE **BUTYL DIAPHARM** 



EASY TRANSPORT













# PRESSURE TANK BT 100 LVPT

## VOLTAGE / FREQUENCY 220V/50HZ

#### **Specifications**

CONNECTOR 1" STAINLESS STEEL INLET THREAD

MEMBRANE FIXED BUTYL RUBBER MEMBRANE REPLACEABLE TYPE

FLANGE STAINLESS STEEL MAX PRESSURE 10 BAR/ 150 PSI

PRE-CHARGE PRESSURE 1.5 BAR

WORKING TEMPRATURE 20 DEGREE C/+99 DEGREE C

## **FEATURES**

NO MAINTENANCE
LEAK FREE, ORING SEALED, AIR VALVE CAP
COMPREHENSIVE TESTING
SINGLE DIAPHARM DESIGN
3MM THICKNESS STAINLESS STEEL WATER CONNECTION
PATENTED STAINLESS STEEL WATER CONNECTION
REPLACEABLE MEMBRANE
BUTYL DIAPHARM



EASY Transport













#### VOLTAGE / FREQUENCY 220V/50HZ

#### **Specifications**

MAX CURRENT MAX USING TEMPERATURE PROTECTION DEGREE

AC 16(4)A 55 DEGREE C **IP68** 



FLOAT SWITCH IS USED TO DETECT THE LEVEL OF LIQUID WITHIN TANK THE SWITCH MAY BE USED IN A PUMP. AN INDICATOR, AN ALARM ,OR OTHER



PVC CABLE





#### **VOLTAGE / FREQUENCY** 220V/50HZ

#### **Specifications**

MAX CURRENT MAX WORKING TEMPERATURE PROTECTION DEGREE

AC 16(4)A 55 DEGREE C **IP68** 





FLOAT SWITCH IS USED TO DETECT THE LEVEL OF LIQUID WITHIN TANK THE SWITCH MAY BE USED IN A PUMP, AN INDICATOR, AN ALARM, OR OTHER



RUBBER CABLE





## PRESSURE GAUGE

**PRESSURE** DIAL SIZE THREAD SIZE 0-10 BAR 50 MM 1/4 INCH

THE ACCESSORIES ARE BASICALLY USED FOR PRESSURE TANKS AND PRESSURE PUMPS





#### VOLTAGE / FREQUENCY 220V/50H7

#### **Specifications**

MAX CURRENT MAX USING TEMPERATURE PROTECTION DEGREE

AC 16(4)A 55 DEGREE C IP68

FLOAT SWITCH IS USED TO DETECT THE LEVEL OF LIQUID WITHIN TANK THE SWITCH MAY BE USED IN A PUMP. AN INDICATOR, AN ALARM ,OR OTHER



PVC CABLE





20 - 100PSI

12A

## .TAGE / FREQUENCY

#### **Specifications**

PRESSURE RANGE MAX RATED CURRENT MAX AMBIENT TEMP PROTECTION DEGREE RATED CURRENT /POWER MAX CUT IN

40 DEGREE C IP20 12A/2HP 20A/1 5HP 20 PSI MAX CUT OUT 100 PSI GENERAL PRESSURE SETTING 20-40 , 30-50 , 40-60 PSI



DRY RUNNING PROTECTION WITH AUTOMATIC RESET DESIGNED FOR HIGH STARTISTOP PER HOUR BUILT IN THERMAL PROTECTION EASY TO INSTALL AND SILENT RUNNING LOW MAINTENANCE, EXTENDED PUMP LIFE EASY REPAIR





# **SWAY CONNECTOR** BT 5 WC.

#### SPECIFICATIONS

SIZE 90 MM WEIGHT 220 G

THE ACCESSORIES ARE BASICALLY USED FOR PRESSURE TANKS AND PRESSURE PUMPS





## SPARE PARTS FOR PIMP











PC BOARDS

FLOW SWITCH EXTERNAL

**FAN** 

**TERMINAL BOX** 

**IMPELLER** 







FLOW SENSOR



PRESSURE SWITCH



PRESSURE TANK

**FAN COVER** 

#### **AUTOMATIC PUMP & ACCESSORIES SPARE PARTS**



MECHANICAL SEAL



TOP COVER



**BOTTOM PUMP BODY** 



**BOTTOM STAND** 



**IMPELLER** 



STAINLESS STEEL **BOTTOM FILTER** 



TOP PLATE



**BOTTOM PLATE** 



CABLE PRESSER WITH PROTECTOR



TWIN RUBBER

#### **SUBMERSIBLE PUMP SPARE PARTS**





# 374 LI INTERNATIONAL

Authorised Dealer / Distributor



- www.btaliinternational.cominfo@btaliinternational.com
  - \_btaliinternational\_
- @btaliinternational8673